Version 1.2	Revision Date: 02/10/2015		SDS Number: 606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014			
SECTIO	N 1. IDENTIFICATION						
Pro	duct name	:	: Renown® Pink Hand Soap				
Pro	duct code	:	REN02502				
Cor Add Tel Em Red Red	Manufacturer or supplier's Company name of supplier Address Telephone Emergency telephone		ails INTERLINE BRANDS Jacksonville, Florida 32207 1-866-412-6726 1-866-412-6726 mical and restrictions on use Skin-care This is a personal care or cosmetic product that is safe consumers and other users under normal and reasona				
			foreseeable use. specifically define exempt from the While this materia contains valuable proper use of the as well as unusua spills. This SDS s employees and o intended-use guid	Cosmetics and consumer products, ad by regulations around the world, are requirement of an SDS for the consumer. al is not considered hazardous, this SDS information critical to the safe handling and product for industrial workplace conditions al and unintended exposures such as large should be retained and available for ther users of this product. For specific dance, please refer to the information ackage or instruction sheet.			

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Not a hazardous substance or mixture.

GHS Label element

Not a hazardous substance or mixture.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous ingredients

Chemical Name

CAS-No.

ersion .2	sion Revision Date: MSDS Number: 02/10/2015 31606-00003		Date of last issue: 12/02/2014 Date of first issue: 11/24/2014		
Alcoh salts	ols, C10-16, ethoxyla	ted, sulfates, sodium	68585-34-2	>= 1 - < 5	
Cocoamidopropyl betaine			61789-40-0	>= 1 - < 5	

SECTION 4. FIRST AID MEASURES

If inhaled	: If inhaled, remove to fresh air. Get medical attention if symptoms occur.	
In case of skin contact	: Wash with water and soap as a precaution. Get medical attention if symptoms occur.	
In case of eye contact	: Flush eyes with water as a precaution. Get medical attention if irritation develops and persists.	
If swallowed	: If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.	
Most important symptoms and effects, both acute and delayed	: None known.	
Protection of first-aiders	: No special precautions are necessary for first aid responde	ers.
Notes to physician	: Treat symptomatically and supportively.	

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	'ater spray cohol-resistant foam ry chemical arbon dioxide (CO2)	
Unsuitable extinguishing media	one known.	
Specific hazards during fire fighting	xposure to combustion products may be a	a hazard to health.
Hazardous combustion prod- ucts	ulfur oxides arbon oxides etal oxides hlorine compounds itrogen oxides (NOx)	
Specific extinguishing methods	se extinguishing measures that are appro rcumstances and the surrounding enviror se water spray to cool unopened containe emove undamaged containers from fire a o. vacuate area.	iment. ers.

Version 1.2	Revision Date: 02/10/2015		SDS Number: 606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
	ial protective equipment e-fighters	:	necessary.	ained breathing apparatus for firefighting if rotective equipment.
SECTION	6. ACCIDENTAL RELE	ASI	E MEASURES	
prote	onal precautions, ctive equipment and gency procedures	:	Follow safe har equipment reco	ndling advice and personal protective ommendations.
Envir	onmental precautions	:	Prevent further Prevent spread barriers). Retain and disp	the environment must be avoided. leakage or spillage if safe to do so. ing over a wide area (e.g. by containment or oil pose of contaminated wash water. s should be advised if significant spillages ained.
	ods and materials for inment and cleaning up	:	For large spills, containment to can be pumped container. Clean up remain absorbent. Local or national disposal of this employed in the determine which Sections 13 and	ert absorbent material. provide diking or other appropriate keep material from spreading. If diked material d, store recovered material in appropriate aning materials from spill with suitable al regulations may apply to releases and material, as well as those materials and items e cleanup of releases. You will need to h regulations are applicable. d 15 of this SDS provide information regarding national requirements.

SECTION 7. HANDLING AND STORAGE

Technical measures		ee Engineering measures under EXPOSURE ONTROLS/PERSONAL PROTECTION section.
Local/Total ventilation	: U	lse only with adequate ventilation.
Advice on safe handling	pr Ta	landle in accordance with good industrial hygiene and safety ractice. Take care to prevent spills, waste and minimize release to the nvironment.
Conditions for safe storage		eep in properly labeled containers. tore in accordance with the particular national regulations.
Materials to avoid		to not store with the following product types: Strong oxidizing agents

Version	Revision Date:	MSDS Number:	Date of last issue: 12/02/2014
1.2	02/10/2015	31606-00003	Date of first issue: 11/24/2014

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

Hazardous components without workplace control parameters

Ingredients	CAS-No.		
Alcohols, C10-16, ethoxylated	l, 68585-34-2		
sulfates, sodium salts Cocoamidopropyl betaine	61789-40-0		
Engineering measures	: Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations. Dust formation may be relevant in the processing of this product. In addition to substance-specific OELs, general limitations of concentrations of particulates in the air at workplaces have to be considered in workplace risk assessment. Relevant limits include: OSHA PEL for Particulates Not Otherwise Regulated of 15 mg/m3 - total dust, 5 mg/m3 - respirable fraction; and ACGIH TWA for Particles (insoluble or poorly soluble) Not Otherwise Specified of 3 mg/m3 - respirable particles, 10 mg/m3 - inhalable particles.		
Personal protective equipm	ent		
Respiratory protection	: General and local exhaust ventilation is recommended to maintain vapor exposures below recommended limits. Whe concentrations are above recommended limits or are unknown, appropriate respiratory protection should be wor Follow OSHA respirator regulations (29 CFR 1910.134) an use NIOSH/MSHA approved respirators. Protection provid by air purifying respirators against exposure to any hazardous chemical is limited. Use a positive pressure air supplied respirator if there is any potential for uncontrolled release, exposure levels are unknown, or any other circumstance where air purifying respirators may not provid adequate protection.		
Hand protection			
Remarks	: Wash hands before breaks and at the end of workday.		
Eye protection	: Wear the following personal protective equipment: Safety glasses		
Skin and body protection	: Skin should be washed after contact.		
Hygiene measures	: Ensure that eye flushing systems and safety showers are located close to the working place. When using do not eat, drink or smoke.		

Version 1.2	Revision Date: 02/10/2015		DS Number: 06-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
SECTION	9. PHYSICAL AND CH	ЕМІС	AL PROPERTI	ES
Арре	earance	:	liquid	
Colo	r	:	opalescent, pin	k
Odor		:	floral	
Odor	Threshold	:	No data availat	ble
pН		:	4.8 - 6.2	
Melti	ng point/freezing point	:	No data availat	ble
Solid	ification / Setting point		2.9 °C	
Initia range	l boiling point and boiling e	:	97.00 °C	
Flash	n point	:	> 100 °C	
Evap	oration rate	:	No data availat	ble
Flam	mability (solid, gas)	:	Not applicable	
Uppe	er explosion limit	:	No data availat	ble
Lowe	er explosion limit	:	No data availat	ble
Vapo	or pressure	:	No data availat	ble
Relat	tive vapor density	:	No data availat	ble
Dens	sity	:	1.00 g/cm3	
	oility(ies) ater solubility	:	soluble	
	tion coefficient: n- nol/water	:	Not applicable	
Auto	ignition temperature	:	No data availat	ble
Deco	emposition temperature	:	The substance	or mixture is not classified self-reactive.
Visco Vis	osity scosity, kinematic	:	3,000 - 16,000	mm2/s (20 °C)
Explo	osive properties	:	Not explosive	
Oxidi	izing properties	:	The substance	or mixture is not classified as oxidizing.

Version 1.2	Revision Date: 02/10/2015	MSDS Number: 31606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
SECTION	I 10. STABILITY AND R	EACTIVITY	
Read	ctivity	: Not classifie	d as a reactivity hazard.
Cher	nical stability	: Stable unde	r normal conditions.
	Possibility of hazardous reac- tions		ith strong oxidizing agents.
Cond	ditions to avoid	: None knowr	ì.
Incor	mpatible materials	: Oxidizing ag	jents
Haza prodi	ardous decomposition ucts	: No hazardo	us decomposition products are known.
SECTION	I 11. TOXICOLOGICAL	NFORMATION	
Inhal	mation on likely routes ation contact	of exposure	

Skin contact Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity	:	Acute toxicity estimate: > 5,000 mg/kg
-		Method: Calculation method

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts:

Acute oral toxicity	 LD50 (Rat): > 2,000 mg/kg Assessment: The substance or mixture has no acute oral toxicity
Cocoamidopropyl betaine: Acute oral toxicity	: LD50: > 5,000 mg/kg Method: OECD Test Guideline 401 Remarks: Based on data from similar materials
Acute dermal toxicity	 LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Product:

Result: No skin irritation

Version	Revision Date:	MSDS Number:	Date of last issue: 12/02/2014
1.2	02/10/2015	31606-00003	Date of first issue: 11/24/2014

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Product:

Result: No eye irritation

Ingredients:

Alcohols, C10-16, ethoxylated, sulfates, sodium salts: Result: Irreversible effects on the eye

Cocoamidopropyl betaine:

Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405 Remarks: Based on data from similar materials

Respiratory or skin sensitization

Skin sensitization: Not classified based on available information. Respiratory sensitization: Not classified based on available information.

Product:

Assessment: Does not cause skin sensitization.

Ingredients:

Cocoamidopropyl betaine:

Test Type: Maximization Test (GPMT) Routes of exposure: Skin contact Species: Guinea pig Result: negative Remarks: Based on data from similar materials

Germ cell mutagenicity

Not classified based on available information.

Ingredients:

Cocoamidopropyl betaine:

Genotoxicity in vitro	 Test Type: Bacterial reverse mutation assay (AMES) Method: OECD Test Guideline 471 Result: negative Remarks: Based on data from similar materials
Genotoxicity in vivo	: Test Type: Mammalian erythrocyte micronucleus test (in vivo cytogenetic assay) Species: Mouse Application Route: Ingestion Result: negative

/ersion .2	Revision Date: 02/10/2015	MSDS Number: 31606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
		Remarks: Base	d on data from similar materials
Carci	inogenicity		
Not c IARC	lassified based on avai	No ingredient of th	is product present at levels greater than or lentified as probable, possible or confirmed h by IARC.
OSH	Α		is product present at levels greater than or lentified as a carcinogen or potential carcino-
NTP			is product present at levels greater than or lentified as a known or anticipated carcinogen
-	oductive toxicity lassified based on avai	lable information.	
Coco	edients: pamidopropyl betaine: ts on fetal development	t : Test Type: Emb Species: Rat Application Rou Method: OECD Result: negative	Test Guideline 414
	F-single exposure lassified based on avai	lable information.	
	F-repeated exposure lassified based on avai	lable information.	
Repe	ated dose toxicity		
Coco Speci	edients: pamidopropyl betaine: ies: Rat EL: 250 mg/kg	:	

NOAEL: 250 mg/kg Application Route: Ingestion Exposure time: 90 d Method: OECD Test Guideline 408 Remarks: Based on data from similar materials

Aspiration toxicity

Not classified based on available information.

/ersion 1.2	Revision Date: 02/10/2015	MSDS Number: 31606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
SECTION	12. ECOLOGICAL II	NFORMATION	
Ecot	oxicity		
Ingre	edients:		
	pamidopropyl betain sity to fish	: LC50: > 1 - 10 Exposure time: Method: ISO 73	96 h
Toxic	ity to bacteria		g/l) Test Guideline 209 ed on data from similar materials
Pers	istence and degrada	bility	
Prod	uct:		
Biode	egradability	: Result: Biodegr	radable
Ingre	edients:		
		lated, sulfates, sodiur	
BIODE	egradability	: Result: Readily	biodegradable.
	oamidopropyl betain egradability	: Result: Readily Biodegradation Exposure time: Method: OECD	: > 60 %
Bioa	ccumulative potentia	al	
No da	ata available		
	i lity in soil ata available		
	r adverse effects ata available		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	: Dispose of in accordance with local regulations.
Contaminated packaging	 Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Version	Revision Date:	MSDS Number:	Date of last issue: 12/02/2014
1.2	02/10/2015	31606-00003	Date of first issue: 11/24/2014

SECTION 14. TRANSPORT INFORMATION

International Regulation

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable for product as supplied.

Domestic regulation

49 CFR Not regulated as a dangerous good

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	No SARA Hazards
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Pennsylvania Right To Know


Water	7732-18-5	70 - 90 %
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	, 68585-34-2	1 - 5 %
Sodium chloride	7647-14-5	1 - 5 %
New Jersey Right To Know		
Water	7732-18-5	70 - 90 %
Alcohols, C10-16, ethoxylated, sulfates, sodium salts	, 68585-34-2	1 - 5 %
Sodium chloride	7647-14-5	1 - 5 %
Cocoamidopropyl betaine	61789-40-0	1 - 5 %

Version 1.2	Revision Date: 02/10/2015	MSDS Number: 31606-00003	Date of last issue: 12/02/2014 Date of first issue: 11/24/2014
Calif	ornia Prop 65	•	bes not contain any chemicals known to the nia to cause cancer, birth, or any other efects.
The i		oduct are reported in : All ingredients	the following inventories:
	ntories	. An ingredients i	isted of exempt.

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), NECSI (Taiwan), TSCA (USA)

SECTION 16. OTHER INFORMATION





Sources of key data used to	:	Internal technical data, data from raw material SDSs, OECD
compile the Material Safety	(eChem Portal search results and European Chemicals Agen-
Data Sheet	(cy, http://echa.europa.eu/

Revision Date : 02/10/2015

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

US / Z8