

**SECTION 1: Identification****1.1. Identification**

Product form : Mixture  
Trade name : Summit Supply® Summit Pak Granular Detergent  
Product code : 0371-SL

**1.2. Recommended use and restrictions on use**

Recommended use : Machine dishwashing products

**1.3. Supplier**

Summit Supply  
25 Commercial Drive  
Unit 3a  
Brentwood, NH 03833 - USA  
T 603.679.1222  
[www.summitsupply.us](http://www.summitsupply.us)


**1.4. Emergency telephone number**

Emergency number : 24 Hour Medical Emergency Number: 1-800-535-5053

**SECTION 2: Hazard(s) identification****2.1. Classification of the substance or mixture****GHS US classification**

|  |   |
|--|---|
| Acute toxicity (oral) Category 4             | Harmful if swallowed                    |
| Skin corrosion/irritation Category 1A        | Causes severe skin burns and eye damage |
| Serious eye damage/eye irritation Category 1 | Causes serious eye damage               |

**2.2. GHS Label elements, including precautionary statements****GHS US labeling**

Hazard pictograms (GHS US) : 

Signal word (GHS US) : Danger

Hazard statements (GHS US) : Harmful if swallowed  
Causes severe skin burns and eye damage  
Causes serious eye damage

Precautionary statements (GHS US) : Do not breathe dust/fume/gas/mist/vapors/spray.  
Wash hands, forearms and face thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Wear eye protection, protective gloves.  
If swallowed: Call a poison center or doctor if you feel unwell.  
If swallowed: rinse mouth. Do NOT induce vomiting.  
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
If inhaled: Remove person to fresh air and keep comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a poison center or doctor.  
Specific treatment (see supplemental first aid instruction on this label).  
Rinse mouth.  
Wash contaminated clothing before reuse.  
Store locked up.  
Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

**2.3. Other hazards which do not result in classification**

No additional information available

# Summit Supply® Summit Pak Granular Detergent

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 2.4. Unknown acute toxicity (GHS US)

Not applicable

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

| Name                    | Product identifier  | %       | GHS US classification  |
|-------------------------|---------------------|---------|--|
| Sodium hydroxide        | (CAS-No.) 1310-73-2 | 40 – 50 | Acute Tox. 1 (Oral), H300<br>Skin Corr. 1, H314<br>Eye Dam. 1, H318                        |
| Sodium Tripolyphosphate | (CAS-No.) 7758-29-4 | 10 – 15 | Acute Tox. 2<br>(Inhalation:dust,mist), H330<br>Skin Irrit. 2, H315<br>Eye Irrit. 2A, H319 |

Full text of hazard classes and H-statements : see section 16

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

- First-aid measures general : Call a physician immediately.
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Rinse skin with water/shower. Remove/Take off immediately all contaminated clothing. Call a physician immediately.
- First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician immediately.
- First-aid measures after ingestion : Rinse mouth. Do not induce vomiting. Call a physician immediately.

### 4.2. Most important symptoms and effects (acute and delayed)

- Symptoms/effects after skin contact : Burns.
- Symptoms/effects after eye contact : Serious damage to eyes.
- Symptoms/effects after ingestion : Burns.

### 4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam.

### 5.2. Specific hazards arising from the chemical

- Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Special protective equipment and precautions for fire-fighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray.

#### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Mechanically recover the product.
- Other information : Dispose of materials or solid residues at an authorized site.

# Summit Supply® Summit Pak Granular Detergent

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Do not breathe dust/fume/gas/mist/vapors/spray. Wear personal protective equipment.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

- Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

|   |                      |
|---|----------------------|
| <b>Summit Supply® Summit Pak Granular Detergent</b> |                      |
| No additional information available                 |                      |
| <b>Sodium Tripolyphosphate (7758-29-4)</b>          |                      |
| No additional information available                 |                      |
| <b>Sodium hydroxide (1310-73-2)</b>                 |                      |
| <b>USA - ACGIH - Occupational Exposure Limits</b>   |                      |
| Local name  | Sodium hydroxide     |
| ACGIH Ceiling (mg/m <sup>3</sup> )                  | 2 mg/m <sup>3</sup>  |
| Remark (ACGIH)                                      | URT, eye, & skin irr |
| <b>USA - OSHA - Occupational Exposure Limits</b>    |                      |
| Local name  | Sodium hydroxide     |
| OSHA PEL (TWA) (mg/m <sup>3</sup> )                 | 2 mg/m <sup>3</sup>  |

### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Environmental exposure controls : Avoid release to the environment.

### 8.3. Individual protection measures/Personal protective equipment

#### Hand protection:

Protective gloves

#### Eye protection:

Safety glasses

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

- Physical state : Solid

# Summit Supply® Summit Pak Granular Detergent

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

|   |                     |
|---|---------------------|
| Appearance                                      | : Powder.           |
| Color   | : white             |
| Odor  | : odorless          |
| Odor threshold                                  | : No data available |
| pH  | : No data available |
| pH solution                                     | : 13 – 14           |
| Melting point                                   | : No data available |
| Freezing point                                  | : Not applicable    |
| Boiling point                                   | : No data available |
| Flash point                                     | : Not applicable    |
| Relative evaporation rate (butyl acetate=1)     | : No data available |
| Flammability (solid, gas)                       | : Non flammable.    |
| Vapor pressure                                  | : No data available |
| Relative vapor density at 20 °C                 | : No data available |
| Relative density                                | : Not applicable    |
| Solubility                                      | : Soluble in water. |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Auto-ignition temperature                       | : Not applicable    |
| Decomposition temperature                       | : No data available |
| Viscosity, kinematic                            | : No data available |
| Viscosity, dynamic                              | : No data available |
| Explosion limits                                | : Not applicable    |
| Explosive properties                            | : No data available |
| Oxidizing properties                            | : No data available |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |                         |
|-----------------------------|-------------------------|
| Acute toxicity (oral)       | : Harmful if swallowed. |
| Acute toxicity (dermal)     | : Not classified        |
| Acute toxicity (inhalation) | : Not classified        |

|  |   |
|--|---|
| ATE US (oral)                              | 500 mg/kg body weight   |
| <b>Sodium Tripolyphosphate (7758-29-4)</b> |   |
| LD50 oral rat                              | > 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral, 14 day(s)) |
| LD50 dermal rabbit                         | > 4640 mg/kg body weight (24 h, Rabbit, Experimental value, Dermal, 14 day(s))                                    |

# Summit Supply® Summit Pak Granular Detergent

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

| <b>Sodium Tripolyphosphate (7758-29-4)</b> |  |
|--|--|
| LC50 Inhalation - Rat                      | > 0.39 mg/l (EPA OPP 81-3: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Inhalation (dust), 14 day(s)) |
| Skin corrosion/irritation                  | : Causes severe skin burns.  |
| Serious eye damage/irritation              | : Causes serious eye damage.   |
| Respiratory or skin sensitization          | : Not classified   |
| Germ cell mutagenicity                     | : Not classified   |
| Carcinogenicity                            | : Not classified   |
| Reproductive toxicity                      | : Not classified   |
| STOT-single exposure                       | : Not classified   |
| STOT-repeated exposure                     | : Not classified   |
| Aspiration hazard                          | : Not classified   |
| Viscosity, kinematic                       | : No data available  |
| Symptoms/effects after skin contact        | : Burns.   |
| Symptoms/effects after eye contact         | : Serious damage to eyes.  |
| Symptoms/effects after ingestion           | : Burns.   |

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Before neutralisation, the product may represent a danger to aquatic organisms.

| <b>Sodium Tripolyphosphate (7758-29-4)</b> |   |
|--|---|
| LC50 fish 1                                | > 1850 mg/l (AFNOR, 24 h, Danio rerio, Fresh water, Experimental value)                                 |
| EC50 Daphnia 1                             | > 100 mg/l (EPA OTS 797.1930, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP) |
| ErC50 (algae)                              | 160 mg/l (ISO 8692, 4 day(s), Desmodesmus subspicatus, Fresh water, Experimental value)                 |
| <b>Sodium hydroxide (1310-73-2)</b>        |   |
| LC50 fish 1                                | 189 mg/l (48 h, Leuciscus idus, Fresh water, Experimental value)  |
| EC50 Daphnia 1                             | 40.4 mg/l (48 h, Ceriodaphnia sp., Experimental value, Locomotor effect)                                |

### 12.2. Persistence and degradability

| <b>Sodium Tripolyphosphate (7758-29-4)</b> |                                   |
|--|-----------------------------------|
| Persistence and degradability              | Biodegradability: not applicable. |
| Chemical oxygen demand (COD)               | Not applicable                    |
| ThOD                                       | Not applicable                    |
| BOD (% of ThOD)                            | Not applicable                    |
| <b>Sodium hydroxide (1310-73-2)</b>        |                                   |
| Persistence and degradability              | Biodegradability: not applicable. |
| Chemical oxygen demand (COD)               | Not applicable (inorganic)        |
| ThOD                                       | Not applicable (inorganic)        |

### 12.3. Bioaccumulative potential

| <b>Sodium Tripolyphosphate (7758-29-4)</b> |                      |
|--|----------------------|
| Bioaccumulative potential                  | Not bioaccumulative. |
| <b>Sodium hydroxide (1310-73-2)</b>        |                      |
| Bioaccumulative potential                  | Not bioaccumulative. |

### 12.4. Mobility in soil

| <b>Sodium Tripolyphosphate (7758-29-4)</b>      |                                       |
|---|---------------------------------------|
| Partition coefficient n-octanol/water (Log Koc) | 2.15 (log Koc, Experimental value)    |
| Ecology - soil                                  | Low potential for adsorption in soil. |

# Summit Supply® Summit Pak Granular Detergent

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

### Sodium hydroxide (1310-73-2)

|                 |   |
|-----------------|---|
| Surface tension | No data available in the literature                   |
| Ecology - soil  | No (test)data on mobility of the substance available. |

### 12.5. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## SECTION 14: Transport information

### Department of Transportation (DOT)

In accordance with DOT

Transport document description : UN1759 Corrosive solids, n.o.s. (Sodium Hydroxide), 8, II  
UN-No.(DOT) : UN1759  
Proper Shipping Name (DOT) : Corrosive solids, n.o.s.  
Sodium Hydroxide  
Class (DOT) : 8 - Class 8 - Corrosive material 49 CFR 173.136  
Packing group (DOT) : II - Medium Danger  
Hazard labels (DOT) : 8 - Corrosive



DOT Packaging Non Bulk (49 CFR 173.xxx) : 213  
DOT Packaging Bulk (49 CFR 173.xxx) : 240  
DOT Symbols : G - Identifies PSN requiring a technical name  
DOT Special Provisions (49 CFR 172.102) : 128 - Regardless of the provisions of §172.101(c)(12), aluminum smelting by-products and aluminum remelting by-products described under this entry, meeting the definition of Class 8, Packing Group II and III may be classed as a Division 4.3 material and transported under this entry. The presence of a Class 8 hazard must be communicated as required by this Part for subsidiary hazards  
IB8 - Authorized IBCs: Metal (11A, 11B, 11N, 21A, 21B, 21N, 31A, 31B and 31N); Rigid plastics (11H1, 11H2, 21H1, 21H2, 31H1 and 31H2); Composite (11HZ1, 11HZ2, 21HZ1, 21HZ2, 31HZ1 and 31HZ2); Fiberboard (11G); Wooden (11C, 11D and 11F); Flexible (13H1, 13H2, 13H3, 13H4, 13H5, 13L1, 13L2, 13L3, 13L4, 13M1 or 13M2).  
IP3 - Flexible IBCs must be sift-proof and water-resistant or must be fitted with a sift-proof and water-resistant liner.  
T1 - 1.5 178.274(d)(2) Normal..... 178.275(d)(2)  
TP33 - The portable tank instruction assigned for this substance applies for granular and powdered solids and for solids which are filled and discharged at temperatures above their melting point which are cooled and transported as a solid mass. Solid substances transported or offered for transport above their melting point are authorized for transportation in portable tanks conforming to the provisions of portable tank instruction T4 for solid substances of packing group III or T7 for solid substances of packing group II, unless a tank with more stringent requirements for minimum shell thickness, maximum allowable working pressure, pressure-relief devices or bottom outlets are assigned in which case the more stringent tank instruction and special provisions shall apply. Filling limits must be in accordance with portable tank special provision TP3. Solids meeting the definition of an elevated temperature material must be transported in accordance with the applicable requirements of this subchapter.  
DOT Packaging Exceptions (49 CFR 173.xxx) : 154  
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27) : 25 kg  
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75) : 100 kg

# Summit Supply® Summit Pak Granular Detergent

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

DOT Vessel Stowage Location : A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.  
Emergency Response Guide (ERG) Number : 154  
Other information : No supplementary information available.

### Transportation of Dangerous Goods

Not applicable

### Transport by sea

Not regulated

### Air transport

Not regulated

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

#### Sodium Tripolyphosphate (7758-29-4)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

#### Sodium hydroxide (1310-73-2)

Listed on the United States TSCA (Toxic Substances Control Act) inventory  
Not subject to reporting requirements of the United States SARA Section 313

CERCLA RQ 1000 lb

### 15.2. International regulations

#### CANADA

#### Sodium Tripolyphosphate (7758-29-4)

Listed on the Canadian DSL (Domestic Substances List)

#### Sodium hydroxide (1310-73-2)

Listed on the Canadian DSL (Domestic Substances List)

#### EU-Regulations

No additional information available

#### National regulations

No additional information available

### 15.3. US State regulations

| Component                          | State or local regulations   |
|------------------------------------|--|
| Sodium Tripolyphosphate(7758-29-4) | U.S. - Pennsylvania - RTK (Right to Know) List   |
| Sodium hydroxide(1310-73-2)        | U.S. - New Jersey - Right to Know Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List |

## SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date : 04/21/2022

#### Hazard Rating

Health : 3 Serious Hazard - Major injury likely unless prompt action is taken and medical treatment is given

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

# Summit Supply® Summit Pak Granular Detergent

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

---

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*