SAFETY DATA SHEET

Issue Date 12-Jan-2015 Revision Date 30-May-2019 Version 2

1. PRODUCT AND COMPANY IDENTIFICATION

Product identifier

Product Name FLATWARE PRESOAK CHLORINATED

Other means of identification

Product Code S 5845 UN/ID No. UN1760

Recommended use of the chemical and restrictions on use

Recommended Use Liquid Presoak.

Uses advised against Use only as stated on label.

Details of the supplier of the safety data sheet

Supplier Summit Supply

25 Commercial Drive Unit 3A Brentwood, NH 03833 Phone: (603) 679-1222

Emergency telephone number

Emergency Telephone Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

Label elements

Emergency Overview

Danger

Hazard statements

Causes severe skin burns and eye damage



Appearance Clear Colorless

Physical state Liquid

Odor Slight chlorine

Precautionary Statements - Prevention

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS)

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

Immediately call a POISON CENTER or doctor/physician

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Immediately call a POISON CENTER or doctor/physician

Precautionary Statements - Storage

Store locked up

Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Other Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	Weight-%	Trade Secret
Potassium Hydroxide	1310-58-3	1-5	*
Sodium Silicate	1344-09-8	1-5	*
Sodium Tripolyphosphate	7758-29-4	1-5	*
Sodium Hypochlorite	7681-52-9	.1-1	*

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

First aid measures

General advice Immediate medical attention is required.

Skin Contact Immediate medical attention is required. Wash off immediately with soap and plenty of

water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is

required.

Eye contact Immediate medical attention is required Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes Keep eye wide open while rinsing Do not rub affected area Immediately flush with plenty of water. After initial flushing, remove any contact lenses

and continue flushing for at least 15 minutes

Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing,

give artificial respiration. If breathing is difficult, give oxygen.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison

control center immediately.

Self-protection of the first aider

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other

proper respiratory medical device.

Most important symptoms and effects, both acute and delayed

No Information available. **Symptoms**

Indication of any immediate medical attention and special treatment needed

Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

> Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat

symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid **Personal precautions**

contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.

Environmental precautions

Environmental precautions Do not allow into any sewer, on the ground or into any body of water. Should not be

released into the environment. Prevent further leakage or spillage if safe to do so. Prevent

product from entering drains.

Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take Methods for cleaning up

> up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces

with water.

7. HANDLING AND STORAGE

Precautions for safe handling

Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Advice on safe handling

Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed

systems. Do not mix with acids.

Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of **Storage Conditions**

> children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Keep/store only in original container. Do not reuse container.

Incompatible materials Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong acids.

Aluminum. Strong reducing agents.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

This product, as supplied, does not contain any hazardous materials with occupational **Exposure Guidelines**

exposure limits established by the region specific regulatory bodies.

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Potassium Hydroxide	Ceiling: 2 mg/m ³	(vacated) Ceiling: 2 mg/m ³	Ceiling: 2 mg/m ³
1310-58-3			

NIOSH IDLH Immediately Dangerous to Life or Health

Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 Other Information

(11th Cir., 1992).

Appropriate engineering controls

Showers, Eyewash stations & Ventilation systems. **Engineering Controls**

Individual protection measures, such as personal protective equipment

Eye/face protection Tight sealing safety goggles. Face protection shield.

Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, Skin and body protection

as appropriate, to prevent skin contact. Wear protective gloves and protective clothing.

If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved Respiratory protection

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be

provided in accordance with current local regulations.

When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep **General Hygiene**

away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing

and wash it before reuse. Wear suitable gloves and eye/face protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical state Liquid

Appearance Clear Colorless Odor Slight chlorine

Odor threshold No Information available

Remarks • Method **Property** Values 13.0 +

pН Melting point/freezing point No Information available

Boiling point / boiling range No Information available Flash point None

Evaporation rate No Information available

Flammability (solid, gas) No Information available Flammability Limits in Air

Upper flammability limit: No Information available Lower flammability limit: No Information available Vapor pressure No Information available Vapor density No Information available

Specific Gravity 1.06

Water solubility Complete

Solubility in other solvents No Information available Partition coefficient No Information available Autoignition temperature No Information available **Decomposition temperature** No Information available No Information available Kinematic viscosity No Information available **Viscosity Explosive properties** No Information available No Information available **Oxidizing properties**

10. STABILITY AND REACTIVITY

Reactivity

No data available

Chemical stability

Stable under recommended storage conditions.

Possibility of Hazardous Reactions

None under normal processing.

Conditions to avoid

Exposure to air or moisture over prolonged periods. Extremes of temperature and direct sunlight.

Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong acids. Aluminum. Strong reducing agents.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors. Hydrogen chloride. Phosgene.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

The primary effects and toxicity of this material are due to it corrosive nature. **Product Information**

Inhalation Causes burns.

Eye contact Corrosive to the eyes and may cause severe damage including blindness.

Skin Contact The product causes burns of eyes, skin and mucous membranes.

Causes burns. Ingestion

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water 7732-18-5	> 90 mL/kg (Rat)	-	-
Potassium Hydroxide 1310-58-3	= 284 mg/kg (Rat)	-	-
Sodium Silicate 1344-09-8	= 1960 mg/kg (Rat)	> 4640 mg/kg (Rabbit)	-
Sodium Tripolyphosphate 7758-29-4	= 3120 mg/kg (Rat)	> 7940 mg/kg (Rabbit)	-
Sodium Hypochlorite 7681-52-9	= 8200 mg/kg (Rat)	> 10000 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms No Information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Corrosivity Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to

S 5845 FLATWARE PRESOAK CHLORINATED

eyes.

Sensitization May cause sensitization by inhalation and skin contact.

Germ cell mutagenicityCarcinogenicity
No Information available.
No Information available.

Chemical Name	ACGIH	IARC	NTP	OSHA
Sodium Hypochlorite	-	Group 3	-	-
7681-52-9		-		

IARC (International Agency for Research on Cancer) Group 3 -Not classifiable as a human carcinogen

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
No Information available.
No Information available.

Chronic toxicity Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw

necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure.

Possible risk of irreversible effects.

Target organ effects EYES, Respiratory system, Skin.

Aspiration hazard No Information available.

Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity

The following values are calculated based on chapter 3.1 of the GHS document

12. ECOLOGICAL INFORMATION

Ecotoxicity

1.15% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Potassium Hydroxide	-	80: 96 h Gambusia affinis mg/L	-
1310-58-3		LC50 static	
Sodium Silicate	-	301 - 478: 96 h Lepomis	216: 96 h Daphnia magna mg/L
1344-09-8		macrochirus mg/L LC50 3185: 96 h	EC50
		Brachydanio rerio mg/L LC50	
		semi-static	
Sodium Tripolyphosphate	-	1650: 48 h Leuciscus idus mg/L	-
7758-29-4		LC50	
Sodium Hypochlorite	0.095: 24 h Skeletonema costatum	4.5 - 7.6: 96 h Pimephales promelas	0.033 - 0.044: 48 h Daphnia magna
7681-52-9	mg/L EC50	mg/L LC50 static 0.05 - 0.771: 96 h	mg/L EC50 Static 2.1: 96 h Daphnia
		Oncorhynchus mykiss mg/L LC50	magna mg/L EC50
		flow-through 0.28 - 1: 96 h Lepomis	
		macrochirus mg/L LC50	
		flow-through 0.03 - 0.19: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		semi-static 0.06 - 0.11: 96 h	
		Pimephales promelas mg/L LC50	
		flow-through 0.18 - 0.22: 96 h	
		Oncorhynchus mykiss mg/L LC50	
		static 0.4 - 0.8: 96 h Lepomis	
		macrochirus mg/L LC50 static	

Persistence and degradability

No Information available.

Bioaccumulation

No Information available.

Chemical Name	Partition coefficient
Potassium Hydroxide	0.65
1310-58-3	0.83

Other adverse effects No Information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Disposal of wastes Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

US EPA Waste Number D002

14. TRANSPORT INFORMATION

DOT

UN/ID No. UN1760

Proper shipping name Corrosive liquids, n.o.s.

Hazard Class 8
Packing Group II

Special Provisions B2, IB2, TII, TP2, TP27

Description UN1760, Corrosive liquids, n.o.s. (Potassium Hydroxide, Sodium Hypochlorite), 8, II

Emergency Response Guide 1:

Number

15. REGULATORY INFORMATION

International Inventories

TSCA Complies
DSL/NDSL Complies
EINECS/ELINCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

AICS - Australian Inventory of Chemical Substances

US Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Acute health hazardYesChronic Health HazardYesFire hazardNoSudden release of pressure hazardNoReactive HazardNo

CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb	-	-	X
Sodium Hypochlorite 7681-52-9	100 lb	-	-	X

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive

Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide	1000 lb	=	RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ
Sodium Hypochlorite	100 lb	-	RQ 100 lb final RQ
7681-52-9			RQ 45.4 kg final RQ

US State Regulations

U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium Hydroxide 1310-58-3	X	X	Х
Sodium Tripolyphosphate 7758-29-4	-	X	Х
Sodium Hypochlorite 7681-52-9	Х	Х	Х

U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

10. OTTLK INI OKMATION	

NFPA **Health hazards** 3 Flammability 0 Instability 1 **Physical and Chemical**

16 OTHER INCORMATION

Properties -

HMIS **Health hazards** 3 Flammability 0 Physical hazards 1 Personal protection

N/A

Issue Date 12-Jan-2015 30-May-2019 **Revision Date**

Revision Note

No Information available

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet