SAFETY DATA SHEET

Issue Date 12-Jan-2015

Revision Date 30-Sep-2020

# Version 3

# **1. PRODUCT AND COMPANY IDENTIFICATION**

<u>Product identifier</u> Product Name	FOAMING OVEN & GRILL CLEANER
Other means of identification Product Code	S 6556
Recommended use of the chemical	and restrictions on use
Recommended Use	Oven and Grill Cleaner.
Uses advised against	Use only as stated on label.
Details of the supplier of the safety	data sheet_
Supplier	Summit Supply 25 Commercial Drive Unit 3A Brentwood, NH 03833 Phone: (603) 679-1222
<u>Emergency telephone number</u> Emergency Telephone	Chemtrec 1-800-424-9300

2. HAZARDS IDENTIFICATION

# **Classification**

# **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Not classified
Acute toxicity - Dermal	Not classified
Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

## Label elements

Emergency Overview		
	Danger	
	Hazard statements Causes severe skin burns and eye damage	
Appearance Clear Colorless	Physical state Liquid	Odor Bland

# **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

#### Precautionary Statements - Response

Specific Treatment (See Section 4 on the SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Immediately call a POISON CENTER or doctor/physician IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Immediately call a POISON CENTER or doctor/physician

# **Precautionary Statements - Storage**

Store locked up

## **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

# Other Information

Unknown Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical Name	CAS No.	Weight-%	Trade Secret
Potassium Hydroxide	1310-58-3	5-10	*
Tetrasodium Ethylenediaminetetraacetic Acid	13236-36-4	1-5	*
Alkyl Polyglucoside	68515-73-1	1-5	*

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

# 4. FIRST AID MEASURES

First aid measures		
General advice	Immediate medical attention is required.	
Skin Contact	Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is required.	
Eye contact	Immediate medical attention is required Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes Keep eye wide open while rinsing Do not rub affected area Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes	
Inhalation	Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen.	
Ingestion	Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately.	
Self-protection of the first aider	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.	
Most important symptoms and effects, both acute and delayed		
Symptoms	No Information available.	
Indication of any immediate medical attention and special treatment needed		

# Note to physicians Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically. 5. FIRE-FIGHTING MEASURES

#### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

# Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

# 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal precautions	Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.	
Environmental precautions		
Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.	
Methods and material for containm	ent and cleaning up	
Methods for containment	Prevent further leakage or spillage if safe to do so.	
Methods for cleaning up	Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water.	
7. HANDLING AND STORAGE		
Precautions for safe handling		
Advice on safe handling	Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.	
Conditions for safe storage, including any incompatibilities		
Storage Conditions	Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.	

**Incompatible materials** Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong acids.

Aluminum.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control parameters

**Exposure Guidelines** This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies. **Chemical Name** ACGIH TLV **OSHA PEL** NIOSH IDLH Potassium Hydroxide Ceiling: 2 mg/m<sup>3</sup> (vacated) Ceiling: 2 mg/m<sup>3</sup> Ceiling: 2 mg/m<sup>3</sup> 1310-58-3 Sodium Hydroxide Ceiling: 2 mg/m<sup>3</sup> TWA: 2 mg/m<sup>3</sup> IDLH: 10 mg/m<sup>3</sup> 1310-73-2 (vacated) Ceiling: 2 mg/m<sup>3</sup> Ceiling: 2 mg/m<sup>3</sup> NIOSH IDLH Immediately Dangerous to Life or Health Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 **Other Information** (11th Cir., 1992). Appropriate engineering controls **Engineering Controls** Showers, Eyewash stations & Ventilation systems. Individual protection measures, such as personal protective equipment Eye/face protection Tight sealing safety goggles. Face protection shield. Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, Skin and body protection as appropriate, to prevent skin contact. **Respiratory protection** If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep **General Hygiene** away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state Appearance Odor	Liquid Clear Colorless Bland	Odor threshold	No Information available
Property_	<u>Values</u>	Remarks • Method	
рН	13.0 +		
Melting point/freezing point	No Information available		
Boiling point / boiling range	No Information available		
Flash point	None		
Evaporation rate	No Information available		
Flammability (solid, gas)	No Information available		
Flammability Limits in Air			
Upper flammability limit:	No Information available		
Lower flammability limit:	No Information available		
Vapor pressure	No Information available		
Vapor density	No Information available		
Specific Gravity	1.12		
Water solubility	Complete		
Solubility in other solvents	No Information available		
Partition coefficient	No Information available		

#### Autoignition temperature Decomposition temperature Kinematic viscosity Viscosity Explosive properties Oxidizing properties

No Information available No Information available

# **10. STABILITY AND REACTIVITY**

# Reactivity

No data available

### **Chemical stability**

Stable under recommended storage conditions.

#### **Possibility of Hazardous Reactions**

None under normal processing.

#### **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

# **Incompatible materials**

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong acids. Aluminum.

### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

# **11. TOXICOLOGICAL INFORMATION**

# Information on likely routes of exposure

Pı	roduct Information	The primary effects and toxicity of this material are due to it corrosive nature.
	Inhalation	Causes burns.
	Eye contact	Corrosive to the eyes and may cause severe damage including blindness.
	Skin Contact	The product causes burns of eyes, skin and mucous membranes.
	Ingestion	Causes burns.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Water	> 90 mL/kg (Rat)	-	-
7732-18-5			
Potassium Hydroxide 1310-58-3	= 284 mg/kg (Rat)	-	-
Alkyl Polyglucoside 68515-73-1	> 5000 mg/kg ( Rat )	-	-
Tetrasodium EDTA 64-02-8	= 1658 mg/kg (Rat)= 10 g/kg ( Rat)	-	-
Alkyl Polyglycoside 110615-47-9	5000 mg/kg(Rat)	-	-
Xanthan Gum 11138-66-2	= 45000 mg/kg ( Rat )	-	-
Sodium Hydroxyacetate 2836-32-0	= 7110 mg/kg (Rat)	-	-
Trisodium nitrilotriacetate 5064-31-3	= 1100 mg/kg (Rat)	-	> 5 mg/L (Rat)4 h
Sodium Hydroxide 1310-73-2	= 325 mg/kg(Rat)	= 1350 mg/kg (Rabbit)	-

Information on toxicological effects

Symptoms

No Information available.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure\_

Corrosivity	Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.
Sensitization	No Information available.
Germ cell mutagenicity	No Information available.
Carcinogenicity	No Information available.
Reproductive toxicity STOT - single exposure STOT - repeated exposure Chronic toxicity	No Information available. No Information available. No Information available. Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects.
Target organ effects	EYES, Respiratory system, Skin.
Aspiration hazard	No Information available.

# Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0% of the mixture consists of ingredient(s) of unknown toxicity The following values are calculated based on chapter 3.1 of the GHS document .

# **12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

Chemical Name	Algae/aquatic plants	Fish	Crustacea
Potassium Hydroxide 1310-58-3	-	80: 96 h Gambusia affinis mg/L LC50 static	-
Tetrasodium EDTA 64-02-8	1.01: 72 h Desmodesmus subspicatus mg/L EC50	59.8: 96 h Pimephales promelas mg/L LC50 static 41: 96 h Lepomis macrochirus mg/L LC50 static	610: 24 h Daphnia magna mg/L EC50
Trisodium nitrilotriacetate 5064-31-3	560 - 1000: 96 h Chlorella vulgaris mg/L EC50	<ul> <li>93 - 170: 96 h Pimephales promelas mg/L LC50 flow-through 252: 96 h Lepomis macrochirus mg/L LC50 560 - 1000: 96 h Oryzias latipes mg/L LC50 semi-static 72 - 133: 96 h Oncorhynchus mykiss mg/L LC50 static 560 - 1000: 96 h Poecilia reticulata mg/L LC50 560 - 1000: 96 h Poecilia reticulata mg/L LC50 semi-static 470: 96 h Pimephales promelas mg/L LC50 static 175 - 225: 96 h Lepomis macrochirus mg/L LC50 static 560 - 1000: 96 h Oryzias latipes mg/L LC50 114: 96 h Pimephales promelas mg/L LC50</li> </ul>	mg/L LC50
Sodium Hydroxide 1310-73-2	-	45.4: 96 h Oncorhynchus mykiss mg/L LC50 static	-

## Persistence and degradability

No Information available.

### **Bioaccumulation**

No Information available.

Chemical Name	Partition coefficient
Potassium Hydroxide	0.83
1310-58-3	

#### Other adverse effects

No Information available

# **13. DISPOSAL CONSIDERATIONS**

Waste treatment methods	
Disposal of wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated packaging	Do not reuse container.
US EPA Waste Number	D002

# **14. TRANSPORT INFORMATION**

DOT

Not regulated

# **15. REGULATORY INFORMATION**

International Inventories	
TSCA	Does not comply
DSL/NDSL	Does not comply
EINECS/ELINCS	Does not comply
AICS	Does not comply

#### Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	No
Sudden release of pressure hazard	No
Reactive Hazard	No

## CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Potassium Hydroxide 1310-58-3	1000 lb	-	-	Х

# CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Potassium Hydroxide	1000 lb	-	RQ 1000 lb final RQ
1310-58-3			RQ 454 kg final RQ

# US State Regulations

## U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Potassium Hydroxide 1310-58-3	Х	X	X
Trisodium nitrilotriacetate 5064-31-3	-	X	-
Sodium Hydroxide 1310-73-2	Х	X	X

## U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

# **16. OTHER INFORMATION**

<u>NFPA</u>	Health hazards 3	Flammability 0	Instability 0	Physical and Chemical
<u>HMIS</u>	Health hazards 3	Flammability 0	Physical hazards 0	Properties - Personal protection N/A
Issue Date Revision Date	12-Jan-2 30-Sep-2			
Revision Note No Information available	00 000 2			
<u>Disclaimer</u>				

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

# End of Safety Data Sheet