Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations Date of issue: 03/25/2015 Version: 1.0

SECTION 1: Identification of the s	ubstance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	: AERO MB3 ORANGE CITRUS
Product code	: 1788368
SKU #	: 2024612
1.2. Relevant identified uses of the su	ubstance or mixture and uses advised against
Use of the substance/mixture	: Aerosol Air care products For professional use only Odour agents
1.3. Details of the supplier of the safe	ety data sheet
Interline Brands, Inc. 701 San Marco Blvd. Jacksonville, FL 32207 - USA T 1-866-412-6726 (Product Information)	
1.4. Emergency telephone number	
Emergency number	: 1-866-923-4913 (Medical emergency);1-800-424-9300 (Spill emergency)
SECTION 2: Hazards identification	
2.1. Classification of the substance of	
GHS-US classification	
Flam. Aerosol 1 H222 Skin Irrit. 2 H315 Eye Irrit. 2A H319 Skin Sens. 1 H317 Full text of H statements : see section 16	
2.2. Label elements	
GHS-US labelling	
Hazard pictograms (GHS-US)	: GHS02 GHS07
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	 H222 - Extremely flammable aerosol H315 - Causes skin irritation H317 - May cause an allergic skin reaction H319 - Causes serious eye irritation
Precautionary statements (GHS-US)	 P211 - Do not spray on an open flame or other ignition source P251 - Pressurized container: Do not pierce or burn, even after use P280 - Wear protective gloves P302+P352 - If on skin: Wash with plenty of water P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P333+P313 - If skin irritation or rash occurs: Get medical advice/attention

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention P337+P313 - If eye irritation persists: Get medical advice/attention

P410+P412 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures			
Name	Product identifier	%	GHS-US classification
HEXYLENE GLYCOL	(CAS-No.) 107-41-5	10 - 20	Skin Irrit. 2, H315 Eye Irrit. 2A, H319
Alcohol	(CAS-No.) 64-17-5	10 - 20	Flam. Liq. 2, H225 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
LIMONENE	(CAS-No.) 5989-27-5	1 - 10	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
CITRAL	(CAS-No.) 5392-40-5	0.1 - 1	Skin Irrit. 2, H315 Skin Sens. 1, H317

Full text of H-statements: see section 16

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Cough. Assure fresh air breathing. Allow the victim to rest.
First-aid measures after skin contact	: Get medical advice if skin irritation persists. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on this label). If skin irritation or rash occurs:
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Direct contact with the eyes is likely to be irritating. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.
4.2. Most important symptoms and effec	ts, both acute and delayed
Symptoms/effects after inhalation	: Shortness of breath. May cause an allergic skin reaction.
Symptoms/effects after skin contact	: Causes skin irritation.
Symptoms/effects after eye contact	: Causes serious eye irritation.
4.3. Indication of any immediate medical	attention and special treatment needed

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media	: Do not use a heavy water stream.
5.2. Special hazards arising from the sul	bstance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Reactivity	: Stable under normal conditions of use.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment. DO NOT fight fire when fire reaches explosives. Evacuate area.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release meas	sures

6.1.	Personal precautions, protective equ	ipment and emergency procedures
General r	neasures	: No open flames. No smoking. Isolate from fire, if possible, without unnecessary risk. Remove ignition sources. Use special care to avoid static electric charges.

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

5	
6.1.1. For non-emergency personnel	
Emergency procedures	: Evacuate unnecessary personnel.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Ventilate area.
6.2. Environmental precautions	
Prevent entry to sewers and public waters.	Notify authorities if liquid enters sewers or public waters.
6.3. Methods and material for cont	ainment and cleaning up
Methods for cleaning up	: Ventilate spillage area. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
6.4. Reference to other sections	
See Heading 8. Exposure controls and per	sonal protection.
SECTION 7: Handling and stora	ge
7.1. Precautions for safe handling	
A delification of the second study of the second state of the	I have a second a second start of the start start and start and second starts and the second s

7.1. Precautions for safe handling	
Additional hazards when processed	: Hazardous waste due to potential risk of explosion. Pressurized container: Do not pierce or burn, even after use.
Precautions for safe handling	: Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Do not spray on an open flame or other ignition source. Avoid breathing dust/fume/gas/mist/vapours/spray.
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash hands, forearms and face thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	g any incompatibilities
Technical measures	: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use. Do not expose to temperatures exceeding 50 °C/ 122 °F. Keep in fireproof place.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight. Heat sources.
7.3. Specific end use(s)	

S.1. Control pa	rameters		
AERO MB3 ORANO	GE CITRUS		
ACGIH	Not applicable		
OSHA	Not applicable		
LIMONENE (5989-2	:7-5)		
ACGIH	Not applicable		
OSHA	Not applicable		
CITRAL (5392-40-5			
ACGIH	Not applicable	Not applicable	
OSHA	Not applicable	Not applicable	
DNEL	DNEL	9 mg/m³	
Alcohol (64-17-5)			
ACGIH	ACGIH STEL (ppm)	1000 ppm	
ACGIH	Remark (ACGIH)	URT irr	
OSHA	OSHA PEL (TWA) (mg/m ³)	1900 mg/m³	
OSHA	OSHA PEL (TWA) (ppm)	1000 ppm	

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5)		
DNEL	DNEL	950 mg/m³
HEXYLENE GLYCOL (107-41	-5)	
ACGIH	ACGIH TWA (ppm)	25 ppm
ACGIH	ACGIH STEL (mg/m³)	10 mg/m ³
ACGIH	ACGIH STEL (ppm)	50 ppm
ACGIH	Remark (ACGIH)	Eye & URT irr
OSHA	Not applicable	
DNEL	DNEL	14 mg/m ³

8.2. Exposure controls	
Appropriate engineering controls	: Provide local exhaust or general room ventilation to minimize mist and/or vapour concentrations.
Personal protective equipment	: Avoid all unnecessary exposure.
Hand protection	: Wear protective gloves.
Eye protection	: None under normal use. Chemical goggles or safety glasses.
Skin and body protection	: Wear suitable protective clothing.
Respiratory protection	: None under normal use. Wear appropriate mask.
Other information	: Do not eat, drink or smoke during use.

SECTION 9: Phy		

Information on basic physical and chemical properties 9.1

9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Transparent. clear.	
Colour	: colourless to slightly yellow	
Odour	: characteristic	
Odour threshold	: No data available	
рН	: No data available	
Relative evaporation rate (butylacetate=1)	: No data available	
Melting point	: No data available	
Freezing point	: No data available	
Boiling point	: No data available	
Flash point	: No data available	
Auto-ignition temperature	: No data available	
Decomposition temperature	: No data available	
Flammability (solid, gas)	: Extremely flammable aerosol	
Vapour pressure	: 4.5 - 5.5 bar	
Relative vapour density at 20 °C	: No data available	
Relative density	: 0.7	
Solubility	: No data available	
Log Pow	: No data available	
Log Kow	: No data available	
Viscosity, kinematic	: No data available	
Viscosity, dynamic	: No data available	
Explosive properties	: No data available	
Oxidising properties	: No data available	
Explosive limits	: 1.8 - 19 vol %	

Other information 9.2.

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions of use.

10.2. Chemical stability

Extremely flammable aerosol. Contains gas under pressure; may explode if heated. Extreme risk of explosion by shock, friction, fire or other sources of ignition.

10.3. Possibility of hazardous reactions

Not established.

Acute toxicity

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures. Heat. Sparks. Open flame. Overheating.

: Not classified

10.5. Incompatible materials

Oxidizing agent. Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information 11.1. Information on toxicological effects

Alcohol (64-17-5) LD50 oral rat 7060 mg/kg LD50 dermal rabbit > 16000 mg/kg LC50 inhalation rat (mg/l) > 20 mg/l/4h ATE US (oral) 7060 mg/kg bodyweight Skin corrosion/irritation Causes skin irritation. Serious eye damage/irritation Causes serious eye irritation. Respiratory or skin sensitisation May cause an allergic skin reaction. Germ cell mutagenicity : Not classified Based on available data, the classification criteria are not met : Not classified Carcinogenicity Reproductive toxicity Not classified Based on available data, the classification criteria are not met Specific target organ toxicity (single exposure) : Not classified Specific target organ toxicity (repeated : Not classified exposure) Aspiration hazard : Not classified Potential adverse human health effects and : Based on available data, the classification criteria are not met. symptoms Symptoms/effects after inhalation Shortness of breath. May cause an allergic skin reaction. Symptoms/effects after skin contact Causes skin irritation. Symptoms/effects after eye contact : Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

CITRAL (5392-40-5)	
LC50 fish 1	4.1 mg/l
EC50 other aquatic organisms 1	7 mg/l waterflea
EC50 other aquatic organisms 2	5 mg/l

Safety Data Sheet according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Alcohol (64-17-5)				
LC50 fish 1	13000 mg/l			
EC50 Daphnia 1	9300 mg/l			
EC50 other aquatic organisms 1	5012 mg/l waterflea			
EC50 other aquatic organisms 2	275 mg/l			
HEXYLENE GLYCOL (107-41-5)				
LC50 fish 1	8690 mg/l			
EC50 other aquatic organisms 1	5410 mg/l waterflea			
EC50 other aquatic organisms 2	> 429 mg/l			
12.2. Persistence and degradability				
AERO MB3 ORANGE CITRUS				
Persistence and degradability	Not established.			
Alcohol (64-17-5)				
Persistence and degradability	Not established.			
2.3. Bioaccumulative potential				
AERO MB3 ORANGE CITRUS				
Bioaccumulative potential	Not established.			
CITRAL (5392-40-5)				
	2.8			
CITRAL (5392-40-5)				
CITRAL (5392-40-5) Log Pow Alcohol (64-17-5) Log Pow				
CITRAL (5392-40-5) Log Pow Alcohol (64-17-5)	2.8			
CITRAL (5392-40-5) Log Pow Alcohol (64-17-5) Log Pow	2.8 -0.32			

12.5. Other adverse effects				
Effect on ozone layer	: None to our knowledge			
Effect on the global warming	No known effects from this product.Avoid release to the environment.			
Other information				
SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations. Container under pressure. Do not drill or burn even after use. Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.			
Additional information	: Flammable vapours may accumulate in the container.			
Ecology - waste materials	: Avoid release to the environment.			
SECTION 14: Transport information				
In accordance with DOT				
Transport document description UN-No.(DOT) Proper Shipping Name (DOT) Class (DOT)	 : UN1950 Aerosols, 2.1 : UN1950 : Aerosols : 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115 			

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Hazard labels (DOT)	: 2.1 - Flammable gas			
	FLAMMABLE GAS			
	2			
DOT Special Provisions (49 CFR 172.102)	: N82 - See 173.306 of this subchapter for classification criteria for flammable aerosols.			
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306			
DOT Packaging Non Bulk (49 CFR 173.xxx)	: None			
DOT Packaging Bulk (49 CFR 173.xxx)	: None			
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg			
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg			
DOT Vessel Stowage Location	: A - The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel.			
DOT Vessel Stowage Other	: 48 - Stow "away from" sources of heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials			
Additional information				
Other information	: No supplementary information available.			
ADR				
Transport document description	: UN 1950 AEROSOLS, 2.1, (D)			
Class (ADR)	: 2 - Gases			
Classification code (ADR)	: 5F			
Danger labels (ADR)	: 2.1 - Flammable gases			
Tunnel restriction code (ADR)	: D			
LQ	: 11			
Excepted quantities (ADR)	: E0			
Transport by sea				
UN-No. (IMDG)	: 1950			
Proper Shipping Name (IMDG)	: AEROSOLS			
Class (IMDG)	: 2 - Gases			
Air transport				
UN-No. (IATA)	: 1950			
Proper Shipping Name (IATA)	: Aerosols, flammable			
Class (IATA)	: 2			
SECTION 15: Regulatory information				
15.1. US Federal regulations				
LIMONENE (5989-27-5)				
Not subject to reporing requirements of the Unit Listed on the United States TSCA (Toxic Substa				
CITRAL (5392-40-5)				

Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

Alcohol (64-17-5)

Not subject to reporting requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HEXYLENE GLYCOL (107-41-5)

Not subject to reporing requirements of the United States SARA Section 313 Listed on the United States TSCA (Toxic Substances Control Act) inventory

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

Classification according to Regulation (EC) No. 1272/2008 [CLP]

 Aerosol 1
 H222;H229

 Skin Irrit. 2
 H315

 Eye Irrit. 2
 H319

 Skin Sens. 1
 H317

 Aquatic Chronic 2
 H411

Full text of hazard classes and H-statements : see section 16

Classification according to Directive 67/548/EEC [DSD] or 1999/45/EC [DPD]

15.2.2. National regulations

1

15.3. US State regulations

Alcohol (64-17-5)

U.S. -New York - RTK list Hazardous Substances

HEXYLENE GLYCOL (107-41-5)

U.S. -New York - RTK list Hazardous Substances

SECTION 16: Other information	
Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: REACH Disclaimer: This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number). DISCLAIMER OF LIABILITY The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable. None.

Full text of H-statements:

,				
	H222	Extremely flammable aerosol		
	H225	Highly flammable liquid and vapour		
	H226	Flammable liquid and vapour		
	H304	May be fatal if swallowed and enters airways		
	H315	Causes skin irritation		
	H317	May cause an allergic skin reaction		
	H319	Causes serious eye irritation		
	H335	May cause respiratory irritation		
	H400	Very toxic to aquatic life		
	H410	Very toxic to aquatic life with long lasting effects		

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SDS US GHS HazCom 2012 newell

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product