SAFETY DATA SHEET

Issue Date 12-Jan-2015

Revision Date 19-Oct-2022

### Version 4

## **1. PRODUCT AND COMPANY IDENTIFICATION**

| <u>Product identifier</u><br>Product Name     | FOAMING OVEN & GRILL CLEANER |
|---|------------------------------|
| Other means of identification<br>Product Code | S 6556                       |
| Recommended use of the chemical               | and restrictions on use      |
| Recommended Use                               | Oven and Grill Cleaner.      |
| Uses advised against                          | Use only as stated on label. |
| Details of the supplier of the safety         | data sheet                   |
| Supplier                                      | Summit Supply                |
|   |                              |
|   | 25 Commercial Drive Unit 3A  |
|   |                              |
|   | 25 Commercial Drive Unit 3A  |

## 2. HAZARDS IDENTIFICATION

### **Classification**

### **OSHA Regulatory Status**

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

| Acute toxicity - Oral             | Category 5                |
|-----------------------------------|---------------------------|
| Acute toxicity - Dermal           | Not classified            |
| Skin corrosion/irritation         | Category 1 Sub-category A |
| Serious eye damage/eye irritation | Category 1                |

#### Label elements

|            |                 | Emergency Overview  |      |       |
|------------|-----------------|---|------|-------|
|            |                 | Danger  |      |       |
|            |                 | Hazard statements<br>May be harmful if swallowed<br>Causes severe skin burns and eye damage |      |       |
|            |                 |   |      |       |
| Appearance | Clear Colorless | Physical state Liquid   | Odor | Bland |
|            |                 |   |      |       |

## **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling

Wear protective gloves/protective clothing/eye protection/face protection

### **Precautionary Statements - Response**

Specific Treatment (See Section 4 on the SDS) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower Wash contaminated clothing before reuse Immediately call a POISON CENTER or doctor/physician IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing Immediately call a POISON CENTER or doctor/physician IF SWALLOWED: Rinse mouth. DO NOT induce vomiting Immediately call a POISON CENTER or doctor/physician

### **Precautionary Statements - Storage**

Store locked up

### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

Other Information Unknown Acute Toxicity

0 % of the mixture consists of ingredient(s) of unknown toxicity

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name       | CAS No.     | Weight-% | Trade Secret |
|---------------------|-------------|----------|--------------|
| Sodium Hydroxide    | 1310-73-2   | 5-10     | *            |
| Alkyl Polyglucoside | 68515-73-1  | 1-5      | *            |
| Monoethanolamine    | 141-43-5    | 1-5      | *            |
| Alkyl Polyglycoside | 110615-47-9 | 1-5      | *            |

\*The exact percentage (concentration) of composition has been withheld as a trade secret.

### 4. FIRST AID MEASURES First aid measures Immediate medical attention is required. General advice **Skin Contact** Immediate medical attention is required. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. For minor skin contact, avoid spreading material on unaffected skin. For severe burns, immediate medical attention is required. Immediate medical attention is required Rinse immediately with plenty of water, also under Eye contact the eyelids, for at least 15 minutes Keep eye wide open while rinsing Do not rub affected area Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes Inhalation Remove to fresh air. Call a physician or poison control center immediately. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water. Ingestion Never give anything by mouth to an unconscious person. Remove from exposure, lie down. Clean mouth with water and drink afterwards plenty of water. Call a physician or poison control center immediately. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Self-protection of the first aider Most important symptoms and effects, both acute and delayed

Symptoms No Information available.

#### Indication of any immediate medical attention and special treatment needed

Note to physiciansProduct is a corrosive material. Use of gastric lavage or emesis is contraindicated.<br/>Possible perforation of stomach or esophagus should be investigated. Do not give<br/>chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood<br/>pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat<br/>symptomatically.

## **5. FIRE-FIGHTING MEASURES**

### Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media Caution: Use of water spray when fighting fire may be inefficient.

#### Specific hazards arising from the chemical

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating and toxic gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Explosion data Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, protective equipment and emergency procedures

| Personal precautions              | Evacuate personnel to safe areas. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Keep people away from and upwind of spill/leak.  |
|-----------------------------------|--|
| Environmental precautions         |  |
| Environmental precautions         | Do not allow into any sewer, on the ground or into any body of water. Should not be released into the environment. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.   |
| Methods and material for containm | nent and cleaning up   |
| Methods for containment           | Prevent further leakage or spillage if safe to do so.  |
| Methods for cleaning up           | Dike far ahead of liquid spill for later disposal. Soak up with inert absorbent material. Take up mechanically, placing in appropriate containers for disposal. Clean contaminated surface thoroughly. Prevent product from entering drains. Dam up. After cleaning, flush away traces with water. |

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on safe handling Use personal protective equipment as required. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation, especially in confined areas. In case of insufficient ventilation, wear suitable respiratory equipment. Use only with adequate ventilation and in closed systems.

#### Conditions for safe storage, including any incompatibilities

**Storage Conditions** Keep container tightly closed in a dry and well-ventilated place. Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers.

### Incompatible materials

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong acids. Aluminum.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

**Exposure Guidelines** 

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

| Chemical Name    | ACGIH TLV                    | OSHA PEL                               | NIOSH IDLH                   |
|------------------|------------------------------|--|------------------------------|
| Sodium Hydroxide | Ceiling: 2 mg/m <sup>3</sup> | TWA: 2 mg/m <sup>3</sup>               | IDLH: 10 mg/m <sup>3</sup>   |
| 1310-73-2        |                              | (vacated) Ceiling: 2 mg/m <sup>3</sup> | Ceiling: 2 mg/m <sup>3</sup> |
| Monoethanolamine | STEL: 6 ppm                  | TWA: 3 ppm                             | IDLH: 30 ppm                 |
| 141-43-5         | TWA: 3 ppm                   | TWA: 6 mg/m <sup>3</sup>               | TWA: 3 ppm                   |
|                  |                              | (vacated) TWA: 3 ppm                   | TWA: 8 mg/m <sup>3</sup>     |
|                  |                              | (vacated) TWA: 8 mg/m <sup>3</sup>     | STEL: 6 ppm                  |
|                  |                              | (vacated) STEL: 6 ppm                  | STEL: 15 mg/m <sup>3</sup>   |
|                  |                              | (vacated) STEL: 15 mg/m <sup>3</sup>   | -                            |

NIOSH IDLH Immediately Dangerous to Life or Health

Other Information Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).

#### Appropriate engineering controls

| <u></u>                            |  |
|------------------------------------|--|
| Engineering Controls               | Showers, Eyewash stations & Ventilation systems.   |
| Individual protection measures, su | ch as personal protective equipment  |
| Eye/face protection                | Tight sealing safety goggles. Face protection shield.  |
| Skin and body protection           | Wear impervious protective clothing, including boots, gloves, lab coat, apron or coveralls, as appropriate, to prevent skin contact.   |
| Respiratory protection             | If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations.  |
| General Hygiene                    | When using do not eat, drink or smoke. Wash contaminated clothing before reuse. Keep away from food, drink and animal feeding stuffs. Contaminated work clothing should not be allowed out of the workplace. Regular cleaning of equipment, work area and clothing is recommended. Avoid contact with skin, eyes or clothing. Take off all contaminated clothing and wash it before reuse. Wear suitable gloves and eye/face protection. |

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

| Physical state<br>Appearance<br>Odor  | Liquid<br>Clear Colorless<br>Bland  | Odor threshold          | No Information available |
|---|---|-------------------------|--------------------------|
| Property<br>pH<br>Melting point/freezing point<br>Boiling point / boiling range<br>Flash point<br>Evaporation rate<br>Flammability (solid, gas)<br>Flammability Limits in Air<br>Upper flammability limit:<br>Lower flammability limit: | <u>Values</u><br>13.0 +<br>No Information available<br>No Information available<br>None<br>No Information available<br>No Information available<br>No Information available | <u>Remarks • Method</u> |                          |

- Vapor pressure Vapor density Specific Gravity Water solubility Solubility in other solvents Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Viscosity Explosive properties Oxidizing properties
- No Information available No Information available 1.12 Complete No Information available No Information available

## **10. STABILITY AND REACTIVITY**

### Reactivity

No data available

#### **Chemical stability**

Stable under recommended storage conditions.

### **Possibility of Hazardous Reactions**

None under normal processing.

### **Conditions to avoid**

Exposure to air or moisture over prolonged periods.

### **Incompatible materials**

Incompatible with strong acids and bases. Incompatible with oxidizing agents. Strong acids. Aluminum.

#### Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating and toxic gases and vapors.

## **11. TOXICOLOGICAL INFORMATION**

## Information on likely routes of exposure

| Product Information | The primary effects and toxicity of this material are due to it corrosive nature. |
|---------------------|---|
| Inhalation          | Causes burns.   |
| Eye contact         | Corrosive to the eyes and may cause severe damage including blindness.            |
| Skin Contact        | The product causes burns of eyes, skin and mucous membranes.                      |
| Ingestion           | Causes burns. May be harmful if swallowed.  |

| Chemical Name       | Oral LD50             | Dermal LD50           | Inhalation LC50 |
|---------------------|-----------------------|-----------------------|-----------------|
| Water               | > 90 mL/kg (Rat)      | -                     | -               |
| 7732-18-5           |                       |                       |                 |
| Sodium Hydroxide    | -                     | = 1350 mg/kg (Rabbit) | -               |
| 1310-73-2           |                       |                       |                 |
| Alkyl Polyglucoside | > 5000 mg/kg ( Rat )  | -                     | -               |
| 68515-73-1          |                       |                       |                 |
| Monoethanolamine    | = 1720 mg/kg (Rat)    | = 1000 mg/kg (Rabbit) | -               |
| 141-43-5            |                       |                       |                 |
| Alkyl Polyglycoside | 5000 mg/kg ( Rat )    | -                     | -               |
| 110615-47-9         |                       |                       |                 |
| Sodium Gluconate    | > 2000 mg/kg ( Rat )  | -                     | -               |
| 527-07-1            |                       |                       |                 |
| Tetrasodium EDTA    | = 1658 mg/kg (Rat)    | -                     | -               |
| 64-02-8             |                       |                       |                 |
| Xanthan Gum         | = 45000 mg/kg ( Rat ) | -                     | _               |

| 11138-66-2                               |                    |   |                   |
|--|--------------------|---|-------------------|
| Sodium Hydroxyacetate<br>2836-32-0       | = 7110 mg/kg(Rat)  | - | -                 |
| Trisodium nitrilotriacetate<br>5064-31-3 | = 1100 mg/kg (Rat) | - | > 5 mg/L (Rat)4 h |

### Information on toxicological effects

Symptoms

No Information available.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Corrosivity                             | Causes burns. Extremely corrosive and destructive to tissue. Risk of serious damage to eyes.   |  |
|---|--|--|
| Sensitization<br>Germ cell mutagenicity | No Information available.<br>No Information available.   |  |
| Carcinogenicity                         | No Information available.  |  |
| Reproductive toxicity                   | No Information available.  |  |
| STOT - single exposure                  | No Information available.  |  |
| STOT - repeated exposure                | No Information available.  |  |
| Chronic toxicity                        | Chronic exposure to corrosive fumes/gases may cause erosion of the teeth followed by jaw necrosis. Bronchial irritation with chronic cough and frequent attacks of pneumonia are common. Gastrointestinal disturbances may also be seen. Avoid repeated exposure. Possible risk of irreversible effects. |  |
| Target organ effects                    | EYES, Respiratory system, Skin.  |  |
| Aspiration hazard                       | No Information available.  |  |

### Numerical measures of toxicity - Product Information

Unknown Acute Toxicity 0 % of the mixture consists of ingredient(s) of unknown toxicity The following values are calculated based on chapter 3.1 of the GHS document .

# **12. ECOLOGICAL INFORMATION**

### **Ecotoxicity**

0% of the mixture consists of components(s) of unknown hazards to the aquatic environment

| Chemical Name               | Algae/aquatic plants             | Fish                                 | Crustacea                      |
|-----------------------------|----------------------------------|--------------------------------------|--------------------------------|
| Sodium Hydroxide            | -                                | 45.4: 96 h Oncorhynchus mykiss       | -                              |
| 1310-73-2                   |                                  | mg/L LC50 static                     |                                |
| Monoethanolamine            | 15: 72 h Desmodesmus subspicatus | 114 - 196: 96 h Oncorhynchus         | 65: 48 h Daphnia magna mg/L    |
| 141-43-5                    | mg/L EC50                        | mykiss mg/L LC50 static              | EC50                           |
|                             |                                  | 300 - 1000: 96 h Lepomis             |                                |
|                             |                                  | macrochirus mg/L LC50 static         |                                |
|                             |                                  | 227: 96 h Pimephales promelas        |                                |
|                             |                                  | mg/L LC50 flow-through               |                                |
|                             |                                  | 3684: 96 h Brachydanio rerio mg/L    |                                |
|                             |                                  | LC50 static                          |                                |
|                             |                                  | 200: 96 h Oncorhynchus mykiss        |                                |
|                             |                                  | mg/L LC50 flow-through               |                                |
| Tetrasodium EDTA            |                                  | 41: 96 h Lepomis macrochirus mg/L    | -                              |
| 64-02-8                     | subspicatus mg/L EC50            | LC50 static                          |                                |
|                             |                                  | 59.8: 96 h Pimephales promelas       |                                |
|                             |                                  | mg/L LC50 static                     |                                |
| Trisodium nitrilotriacetate | -                                | 175 - 225: 96 h Lepomis              | 560 - 1000: 48 h Daphnia magna |
| 5064-31-3                   |                                  | macrochirus mg/L LC50 static         | mg/L LC50                      |
|                             |                                  | 560 - 1000: 96 h Oryzias latipes     |                                |
|                             |                                  | mg/L LC50                            |                                |
|                             |                                  | 560 - 1000: 96 h Oryzias latipes     |                                |
|                             |                                  | mg/L LC50 semi-static                |                                |
|                             |                                  | 560 - 1000: 96 h Poecilia reticulata |                                |
|                             |                                  | mg/L LC50                            |                                |
|                             |                                  | 560 - 1000: 96 h Poecilia reticulata |                                |
|                             |                                  | mg/L LC50 semi-static                |                                |
|                             |                                  | 72 - 133: 96 h Oncorhynchus          |                                |

| <br>                               |  |
|------------------------------------|--|
| mykiss mg/L LC50 static            |  |
| 93 - 170: 96 h Pimephales promelas |  |
| mg/L LC50 flow-through             |  |
| 114: 96 h Pimephales promelas      |  |
| mg/LLC50                           |  |
| 252: 96 h Lepomis macrochirus      |  |
| mg/L LC50                          |  |
| 470: 96 h Pimephales promelas      |  |
| mg/L LC50 static                   |  |

#### Persistence and degradability

No Information available.

#### Bioaccumulation

No Information available.

| Chemical Name                | Partition coefficient |
|------------------------------|-----------------------|
| Monoethanolamine<br>141-43-5 | -1.91                 |
|                              |                       |

Other adverse effects

No Information available

### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

Disposal of wastesDisposal should be in accordance with applicable regional, national and local laws and<br/>regulations.Contaminated packagingDo not reuse container.

US EPA Waste Number

## **14. TRANSPORT INFORMATION**

DOT

Not regulated

D002

## **15. REGULATORY INFORMATION**

| Does not comply |
|-----------------|
| Does not comply |
| Does not comply |
| Does not comply |
|                 |

#### Legend:

 TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

 DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

 EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

 AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# SARA 311/312 Hazard Categories

| Chronic Health Hazard             | Yes |
|-----------------------------------|-----|
| Fire hazard                       | No  |
| Sudden release of pressure hazard | No  |
| Reactive Hazard                   | No  |

#### CWA (Clean Water Act)

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

| Chemical Name                 | CWA - Reportable<br>Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants | CWA - Hazardous<br>Substances |
|-------------------------------|--------------------------------|------------------------|---------------------------|-------------------------------|
| Sodium Hydroxide<br>1310-73-2 | 1000 lb                        | -                      | -                         | Х                             |

### **CERCLA**

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

| Chemical Name    | Hazardous Substances RQs | CERCLA/SARA RQ | Reportable Quantity (RQ) |
|------------------|--------------------------|----------------|--------------------------|
| Sodium Hydroxide | 1000 lb                  | -              | RQ 1000 lb final RQ      |
| 1310-73-2        |                          |                | RQ 454 kg final RQ       |

# US State Regulations

#### California Proposition 65

This product contains chemicals known to the state of California to cause cancer, or birth defects or other reproductive harm

### U.S. State Right-to-Know Regulations

| Chemical Name                            | New Jersey | Massachusetts | Pennsylvania |
|--|------------|---------------|--------------|
| Sodium Hydroxide<br>1310-73-2            | X          | X             | Х            |
| Monoethanolamine<br>141-43-5             | X          | X             | Х            |
| Trisodium nitrilotriacetate<br>5064-31-3 | -          | X             | -            |

### U.S. EPA Label Information

EPA Pesticide Registration Number Not Applicable

## 16. OTHER INFORMATION

| <u>NFPA</u> | Health hazards 3 | Flammability 0 | Instability 0      | Physical and Chemical<br>Properties - |
|-------------|------------------|----------------|--------------------|---------------------------------------|
| <u>HMIS</u> | Health hazards 3 | Flammability 0 | Physical hazards 0 | Personal protection<br>N/A            |

| Issue Date               | 12-Jan-2015 |
|--------------------------|-------------|
| Revision Date            | 19-Oct-2022 |
| Revision Note            |             |
| No Information available |             |

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**